



# HEAVY DUTY SHELF TRUCKS

RUGGED, MULTI-USE TRUCKS FOR THE SHOP, FACTORY, WAREHOUSE OR SHIPPING ROOM • COMPLETE LINE

MECO OMAHA manufactures a complete line of shelf trucks, platform trucks and service carts to meet nearly all your material handling requirements. These trucks feature all double welded construction and heavy gauge steel shelves for years of industrial

use. MECO OMAHA offers one, two, three and five shelf units with a wide choice of casters including rubber, steel, polyolefin, phenolic or full pneumatic on selected models; capacities to 4000 lbs. All models are finished with gray enamel and ship fully assembled.



**SPT9R**

## STEEL PARTS TRUCK

THIS POPULAR MODEL HAS BEEN MANUFACTURED BY MECO OMAHA FOR OVER 40 YEARS

- Trucks roll smoothly on two swivel/two rigid casters welded to truck, plain bore wheels
- Top shelf available with lip down—add suffix “-LD” to model number
- Smooth, round push handle extends the full width of truck for comfortable operation
- 23" clearance between shelves

• 16 GA. HEMMED STEEL SHELVES • 2" DEEP FORMED LIP

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
SPT7R	16" x 28"	33"	4" Rubber	1,000 lbs	56 lbs
SPT7S			4" Steel		62 lbs
SPT9R	4" Rubber		66 lbs		
SPT9S	4" Steel		72 lbs		

• 12 GA. STEEL SHELVES • 2" DEEP FORMED LIPS ARE NOT HEMMED

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
SPT2436R	24" x 36"	33"	4" Rubber	1,000 lbs	102 lbs
SPT2436S			4" Steel		108 lbs

## HUSKY SERVICE TRUCK

- Available with 2 or 3 shelves of 12 ga. steel, 2" lip
- Units will be shipped with shelf lips down. Top and middle shelves available with lip up—add suffix “-LU” to model number
- Welded stiffener bars keep shelves rigid
- Trucks move effortlessly on two swivel/two rigid bolt on casters, roller bearing wheels
- Full width push handle for operating ease



**HSC24-24**

(Diagram indicates placement of optional third shelf)

## HUSKY SERVICE CART

SELECT 2 OR 3 SHELF MODELS ALL WITH 4000 LB CAPACITY

• TWO SHELF MODELS • 23" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
HSC24-23	24" x 36"	36"	8" x 2" Phenolic	4,000 lbs	145 lbs
HSC24-24	24" x 48"				169 lbs
HSC24-25	24" x 60"				200 lbs
HSC24-26	24" x 72"				228 lbs
HSC28-24	28" x 48"				185 lbs
HSC28-25	28" x 60"				220 lbs
HSC28-26	28" x 72"				249 lbs
HSC34-24	34" x 48"				208 lbs
HSC34-25	34" x 60"				247 lbs
HSC34-26	34" x 72"				281 lbs

• THREE SHELF MODELS • 10 1/2" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
HSC24-33	24" x 36"	36"	8" x 2" Phenolic	4,000 lbs	186 lbs
HSC24-34	24" x 48"				222 lbs
HSC24-35	24" x 60"				271 lbs
HSC24-36	24" x 72"				312 lbs
HSC28-34	28" x 48"				245 lbs
HSC28-35	28" x 60"				298 lbs
HSC28-36	28" x 72"				341 lbs
HSC34-34	34" x 48"				277 lbs
HSC34-35	34" x 60"				337 lbs
HSC34-36	34" x 72"				387 lbs



## SHELF TRUCKS, TABLES AND CARTS

### STOCK TRUCK

DOUBLE WELDED UNITS OUTLAST AND OUTPERFORM SIMILAR BOLT TOGETHER MODELS

- Smooth 12 ga. steel shelves, 2" upward lip on bottom shelf
- Top shelf available with lip up—add suffix "-LU" to model number
- Rugged 1 3/8" diameter handle extends 9 1/2" above top shelf
- Two swivel/two rigid casters bolted to caster plates, plain bore wheels; 8" full pneumatic wheels have ball bearings

• TWO SHELF MODELS • 19" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
ST11-5	24" x 36"	30 3/4"	5" x 1 1/4" Rubber	800 lbs	105 lbs
ST12-5	24" x 48"				126 lbs
ST13-5	30" x 60"				172 lbs
ST11-6	24" x 36"	32 1/4"	6" x 2" Polyolefin	1,200 lbs	116 lbs
ST12-6	24" x 48"				137 lbs
ST13-6	30" x 60"				183 lbs
ST11-8	24" x 36"	34 1/4"	8" x 2" Polyolefin	2,000 lbs	117 lbs
ST12-8	24" x 48"				138 lbs
ST13-8	30" x 60"				184 lbs
ST11-8PN	24" x 36"	34 1/2"	8" Full Pneumatic	1,000 lbs	118 lbs
ST12-8PN	24" x 48"				139 lbs
ST13-8PN	30" x 60"				185 lbs



ST11-5

### INSTRUMENT CART

DESIGNED TO REDUCE SHOCK AND VIBRATION FOUND IN OTHER TYPES OF SHELF TRUCKS AND CARTS

- Incorporates all the fine features of the Stock Truck depicted above including two sturdy 12 ga. shelves
- 8" full pneumatic casters with ball bearing wheels and rubber shelf mats combine to cushion delicate instruments and tools
- Top shelf available with lip up—add suffix "-LU" to model number
- The finest instrument cart on the market today

• TWO SHELF MODELS • 19" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
IC11-8PN	24" x 36"	34 1/2"	8" Full Pneumatic	1,000 lbs	121 lbs
IC12-8PN	24" x 48"				141 lbs
IC13-8PN	30" x 48"				163 lbs
IC14-8PN	30" x 60"				189 lbs



IC11-8PN

### WELDED SERVICE CART

DOUBLE WELDED SERVICE CART BUILT FOR THE ECONOMY-MINDED

- 12 ga. steel shelves have a 2" upward lip—for all lips down add suffix "-LD" to model number
- 5" all-swivel rubber stem casters are non-marking
- Choice of 2 or 3 shelf models
- Ideal for light to medium duty applications

• TWO SHELF MODELS • 23" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
WSC1830-2	18" x 30"	35"	5" x 1" Rubber	500 lbs	64 lbs
WSC1836-2	18" x 36"				72 lbs
WSC2436-2	24" x 36"				86 lbs
WSC2448-2	24" x 48"				107 lbs

• THREE SHELF MODELS • 10 1/2" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
WSC1830-3	18" x 30"	35"	5" x 1" Rubber	500 lbs	86 lbs
WSC1836-3	18" x 36"				98 lbs
WSC2436-3	24" x 36"				119 lbs
WSC2448-3	24" x 48"				150 lbs



WSC1836-2  
(Diagram indicates placement of optional third shelf)

## MOBILE STEEL TABLES IDEAL FOR TRANSFERRING WORK IN-PROCESS FROM ONE LOCATION TO THE NEXT

- Heavy duty steel angle framework and 12 ga. steel shelves with 2" downward lip
- One or two shelves can be field installed on the one shelf model with simple nut and bolt assembly
- Four popular shelf sizes with an option of three bolt-on caster styles; wheels have bearings for smooth operation

### • CHOICE OF ONE, TWO OR THREE SHELF MODELS

SHELF SIZE	SHELF HEIGHT	CASTERS	1 SHELF MODEL		2 SHELF MODEL		3 SHELF MODEL	
			MODEL NO.	WEIGHT	MODEL NO.	WEIGHT	MODEL NO.	WEIGHT
24" x 36"	31 1/4"	5" x 2" Mold-On Rubber Two Swivel/Two Rigid 1,400 lbs capacity	5MS243-1	97	5MS243-2	129	5MS243-3	162
24" x 48"			5MS244-1	110	5MS244-2	153	5MS244-3	195
30" x 48"			5MS304-1	124	5MS304-2	174	5MS304-3	224
30" x 60"			5MS305-1	139	5MS305-2	204	5MS305-3	268
24" x 36"	32"	6" x 2" Polyolefin Two Swivel/Two Rigid 2,500 lbs capacity	6MS243-1	94	6MS243-2	126	6MS243-3	158
24" x 48"			6MS244-1	107	6MS244-2	150	6MS244-3	192
30" x 48"			6MS304-1	120	6MS304-2	170	6MS304-3	220
30" x 60"			6MS305-1	136	6MS305-2	200	6MS305-3	264
24" x 36"	34 1/4"	8" Full Pneumatic Two Swivel/Two Rigid 1,000 lbs capacity	8MS243-1	95	8MS243-2	128	8MS243-3	160
24" x 48"			8MS244-1	109	8MS244-2	151	8MS244-3	194
30" x 48"			8MS304-1	122	8MS304-2	172	8MS304-3	222
30" x 60"			8MS305-1	138	8MS305-2	202	8MS305-3	266



**8MS244-1**  
20 3/4" clearance  
between shelf and frame



**6MS244-2**  
18 1/2" clearance between shelves



**5MS244-3**  
9 1/2" clearance between top and middle shelf  
7" clearance between middle and bottom shelf



OPT2

## ORDER PICKING TRUCK

### FOR A VARIETY OF ORDER PICKING AND INVENTORY FUNCTIONS

- Both 16 ga. steel shelves have a hemmed 2" upward lip—no sharp edges
- Hefty steel angle frame withstands the rigors of an order picking environment
- Two swivel/two rigid casters are welded to the truck, plain bore wheels
- 12 ga. steel writing area is gusseted for additional strength; 12" x 18" and 12" x 24" surface has a 2" lip to contain work orders, labels, bar code readers, pens and pencils
- Overall height of the unit is 43"

### • TWO SHELF MODELS • 26 1/2" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
OPT1	18" x 36"	36 1/2"	5" x 1 1/4" Rubber	600 lbs	78 lbs
OPT2	24" x 36"				90 lbs



TC1



TC2

## TOOL CART

### AN INDISPENSIBLE CART IN FACTORIES, WAREHOUSES, MACHINE SHOPS AND MAINTENANCE DEPARTMENTS

- Three 12 ga. steel shelves provide adequate space for tools and accessories; bottom and middle shelves enclosed by a 2" upward lip—top shelf has one side open
- All-swivel casters for extremely high maneuverability; casters are welded to the cart
- The model TC2 employs an additional top half-shelf for smaller items, clipboards and notebooks; half-shelf increases height to 39 1/2"

### • THREE SHELF MODELS • 10 1/2" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
TC1	20" x 27"	31 1/2"	3" x 1 1/4" Polyurethane	900 lbs	83 lbs
TC2					98 lbs



**MOBILE MACHINE TABLES**

HEAVY DUTY MOBILE TABLES IDEAL FOR USE IN THE FACTORY OR SHOP

- Heavy Duty 2" x 2" x 3/16" Angle Legs Support the Most Demanding Load
- Smooth 12 ga. Steel Shelves Will Not Crack, Splinter or Absorb Liquids
- 3000 lb. Unit: Shelves Have Welded Stiffener Bars to Keep Shelves Rigid
- Four 3" Nylon Swivel Casters with Brakes
- Gray Enamel Finish

• TWO SHELVES • 2,000 lb. CAPACITY

MODEL NO.	SHELF SIZE	SHELF CLEARANCE	HEIGHT	WEIGHT
MMT1823-2C	18" x 36"	20 1/4"	32 1/4"	86 lbs
MMT2423-2C	24" x 36"			100 lbs
MMT2424-2C	24" x 48"			120 lbs
MMT2425-2C	24" x 60"			141 lbs

• TWO SHELVES • 3,000 lb. CAPACITY

MODEL NO.	SHELF SIZE	SHELF CLEARANCE	HEIGHT	WEIGHT
MMT2424-3C	24" x 48"	24 1/2"	36 1/4"	153 lbs
MMT2824-3C	28" x 48"			165 lbs
MMT3424-3C	34" x 48"			184 lbs
MMT3426-3C	34" x 72"			254 lbs

• THREE SHELVES • 2,000 lb. CAPACITY

MODEL NO.	SHELF SIZE	SHELF CLEARANCE	HEIGHT	WEIGHT
MMT1833-2C	18" x 36"	9 1/8"	32 1/4"	111 lbs
MMT2433-2C	24" x 36"			133 lbs



**Eddie Bianchi**

**11/28/1924 - 10/28/2018**



In 1946, Eddie joined Modern Equipment Company, Inc. (MECO) after serving as a corpsman in the US Navy during WWII. It was at MECO that Eddie met Marion, who at the time was working as a secretary. In 1950, they were married and remained together for 68 years.

Eddie worked at MECO for over 40 years doing various jobs. He was a machinist, tool/die maker and plant foreman. He was also very talented and creative person, especially with all things mechanical. If he couldn't fix what MECO had, he would build what MECO needed.

After Eddie retired, he still came in to check on things, share some memories and make new friends. He even became the curator of our MECO Museum, which he continued to tinker with until his passing in 2018.

There have been many people who have contributed to the success of Modern Equipment Company, Inc., but none have contributed as much for so long.

## MACHINE TABLES

CHOICE OF ALL WELDED CONSTRUCTION OR BOLT-TOGETHER, KNOCKED DOWN MODEL

These all-steel tables are ideal for tool and die work, assembly operations, maintenance projects and as platforms for drill presses, table saws and belt sanders. Four solid steel angle legs support the most demanding loads. The smooth 12 ga. steel shelves will not crack, splinter or absorb liquids—maintenance is easy! Available in three comfortable working heights. All units are shipped fully assembled; gray enamel finish.

The **3000 LB. CAPACITY TABLES** employ heavy steel angle reinforcements under the shelves to maintain flatness while improving strength and rigidity.



**MT-2436**  
TWO SHELF MACHINE TABLE

• 2,000 LB CAPACITY • ALL SHELF EDGES TURNED DOWN

MODEL NO.	SHELF SIZE	NO. OF SHELVES	SHELF CLEARANCE	HEIGHT	WEIGHT
MT-1824	18" x 24"	2	18"	30"	62 lbs
MT-1836	18" x 36"				78 lbs
MT-2424	24" x 24"				72 lbs
MT-2436	24" x 36"				92 lbs
MT-2448	24" x 48"				113 lbs



**MMT2433-2**  
THREE SHELF MACHINE TABLE

• 2,000 LB CAPACITY • TOP SHELF EDGES TURNED DOWN • OTHER SHELF EDGES TURNED UP

MODEL NO.	SHELF SIZE	NO. OF SHELVES	SHELF CLEARANCE	HEIGHT	WEIGHT
MMT1823-2	18" x 36"	2	22 <sup>1</sup> / <sub>4</sub> "	32"	80 lbs
MMT2423-2	24" x 36"				94 lbs
MMT2424-2	24" x 48"				114 lbs
MMT2425-2	24" x 60"				135 lbs
MMT3025-2	30" x 60"				158 lbs
MMT1833-2	18" x 36"	3	10 <sup>1</sup> / <sub>8</sub> "	32"	104 lbs
MMT2433-2	24" x 36"				127 lbs
MMT3035-2	30" x 60"				223 lbs

• 3,000 LB CAPACITY • ALL SHELF EDGES TURNED DOWN • HEAVY DUTY LEGS FOR INCREASED CAPACITY • SHELVES REINFORCED BY ANGLE IRON

MODEL NO.	SHELF SIZE	NO. OF SHELVES	SHELF CLEARANCE	HEIGHT	WEIGHT
MMT2424-3	24" x 48"	2	24 <sup>1</sup> / <sub>2</sub> "	36"	147 lbs
MMT2824-3	28" x 48"				159 lbs
MMT3025-3	30" x 60"				198 lbs
MMT3424-3	34" x 48"				178 lbs
MMT3426-3	34" x 72"				248 lbs



**MT2448-KD**  
MACHINE TABLE  
(Optional shelf is supported by angle braces)

**KNOCKED DOWN MACHINE TABLES** assemble easily—no special tools required. This unit has one shelf and two lengthwise angle support braces. Optional second shelf can be installed with 1<sup>1</sup>/<sub>2</sub>" lip up or down. Gray enamel finish; ships via UPS.

• 1,000 LB CAPACITY • ALL SHELF EDGES TURNED DOWN

MODEL NO.	SHELF SIZE	NO. OF SHELVES	SHELF CLEARANCE	HEIGHT	WEIGHT
MT1836-KD	18" x 36"	1	18"	30"	95 lbs
MT2436-KD	24" x 36"				105 lbs
MT2448-KD	24" x 48"				115 lbs

OPTIONAL SHELF FOR KNOCKED DOWN MODEL • 1,000 LB CAPACITY

MODEL NO.	SHELF SIZE	NO. OF SHELVES	SHELF CLEARANCE	HEIGHT	WEIGHT
MTS1836	18" x 36"	1	16 <sup>1</sup> / <sub>2</sub> " with lip up 18" with lip down	1 <sup>1</sup> / <sub>2</sub> "	22 lbs
MTS2436	24" x 36"				28 lbs
MTS2448	24" x 48"				37 lbs



## SHELF TRUCKS, TABLES AND CARTS

### FIVE SHELF SERVICE CARTS

THE ULTIMATE SERVICE CART. HAUL HEAVY CARTONS, MACHINE PARTS, DIES AND TOOLS EFFICIENTLY

• 800 LB CAPACITY • 10" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	OVERALL HEIGHT	CASTERS	CAPACITY	WEIGHT
SC1836-5	18" x 36"	58"	5" x 1 1/4" Rubber	800 lbs	171 lbs
SC2436-5	24" x 36"				211 lbs
SC2448-5	24" x 48"				262 lbs
SC2460-5	24" x 60"				314 lbs
SC3048-5	30" x 48"				312 lbs
SC3060-5	30" x 60"				373 lbs
SC3660-5	36" x 60"				435 lbs
SC3672-5	36" x 72"				507 lbs

• 3000 LB CAPACITY • 12" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	OVERALL HEIGHT	CASTERS	CAPACITY	WEIGHT
SC1836-8	18" x 36"	69 1/2"	8" x 2" Polyolefin	3,000 lbs	211 lbs
SC2436-8	24" x 36"				250 lbs
SC2448-8	24" x 48"				301 lbs
SC2460-8	24" x 60"				353 lbs
SC3048-8	30" x 48"				352 lbs
SC3060-8	30" x 60"				413 lbs
SC3660-8	36" x 60"				474 lbs
SC3672-8	36" x 72"				546 lbs



**SC2448-8**

- Choice of high quality 5" rubber or 8" polyolefin casters, two swivel/two rigid combination
- All shelves have a 2" upward lip and are fabricated from thick 12 ga. steel, 8 different shelf sizes available
- Hefty 3/4" round steel push handle for easy operation
- Shipped completely assembled

### STEEL PLATFORM TRUCKS

FEATURES HEAVY DUTY 12 GA. REINFORCED STEEL DECK—WILL NOT WARP, SPLINTER OR ABSORB LIQUIDS

• HANDLE EXTENDS 28" ABOVE DECK

MODEL NO.	SHELF SIZE	CASTERS	CAPACITY	WEIGHT
PT2436-5	24" x 36"	5" x 2" Mold-On Rubber	1,400 lbs	90 lbs
PT2448-5	24" x 48"			107 lbs
PT3048-5	30" x 48"			118 lbs
PT3060-5	30" x 60"			138 lbs
PT3672-5	36" x 72"			173 lbs
PT2436-6	24" x 36"	6" x 2" Mold-On Rubber	1,600 lbs	98 lbs
PT2448-6	24" x 48"			113 lbs
PT3048-6	30" x 48"			124 lbs
PT3060-6	30" x 60"			144 lbs
PT3672-6	36" x 72"		179 lbs	
PT2436-8	24" x 36"	8" x 2" Mold-On Rubber	2,000 lbs	106 lbs
PT2448-8	24" x 48"			123 lbs
PT3048-8	30" x 48"			135 lbs
PT3060-8	30" x 60"			154 lbs
PT3672-8	36" x 72"		189 lbs	
PT2436-8PN	24" x 36"	8" Full Pneumatic	1,000 lbs	88 lbs
PT2448-8PN	24" x 48"			105 lbs
PT3048-8PN	30" x 48"			116 lbs
PT3060-8PN	30" x 60"			136 lbs
PT3672-8PN	36" x 72"			171 lbs



**PT2448-8PN**

- Lengthwise steel battens reinforce the deck, provide rigidity and permit capacities to 2000 lbs.
- 1 1/8" removable pipe handle has 3 cross members to assist in containing the load
- Choice of 4 caster styles in a two swivel/two rigid combination, casters are welded to unit for long life; wheels have bearings for smooth operation

## THREE-SIDED SERVICE CARTS

ALL UNITS HAVE 2,400 LBS. CAPACITY TO HANDLE YOUR HEAVIEST LOADS

- Standard color is gray, for optional colors, replace "-G" with the following suffixes: red (-R), yellow (-Y), blue (-B)
- 12 ga. steel shelves have a 2" downward lip and are double welded to a sturdy 1½" X 1½" angle frame
- Sides and ends made from heavy gauge ¾" flattened expanded metal
- Service carts move effortlessly on 6" X 2" polyurethane casters (2 swivel\2 rigid) with 2,400 lbs. capacity
- Full width ¾" diameter push bar for operating ease



**3S2448-3R-R**  
3-SHELF, 48" X 24" MODEL



**3S1836-2R-Y**  
2-SHELF, 36" X 18" MODEL

**CHOICE OF COLORS**



**3S2448-1R-G**  
1-SHELF, 48" X 24" MODEL



**3S3060-3R-B**  
3-SHELF, 60" X 30" MODEL

MODEL NO.	SHELF SIZE	NO. OF SHELVES	SHELF CLEARANCE	WEIGHT
3S1836-1R-G	18" X 36"	1	—	101 lbs
3S1836-2R-G		2	23"	127 lbs
3S1836-3R-G		3	14"	153 lbs
3S1836-4R-G		4	10"	179 lbs
3S2442-1R-G	24" X 42"	1	—	124 lbs
3S2442-2R-G		2	23"	162 lbs
3S2442-3R-G		3	14"	200 lbs
3S2442-4R-G		4	10"	238 lbs
3S2448-1R-G	24" X 48"	1	—	132 lbs
3S2448-2R-G		2	23"	175 lbs
3S2448-3R-G		3	14"	219 lbs
3S2448-4R-G		4	10"	262 lbs
3S2460-1R-G	24" X 60"	1	—	145 lbs
3S2460-2R-G		2	23"	198 lbs
3S2460-3R-G		3	14"	253 lbs
3S2460-4R-G		4	10"	306 lbs
3S3060-1R-G	30" X 60"	1	—	163 lbs
3S3060-2R-G		2	23"	227 lbs
3S3060-3R-G		3	14"	292 lbs
3S3060-4R-G		4	10"	357 lbs
3S3672-1R-G	36" X 72"	1	—	209 lbs
3S3672-2R-G		2	23"	300 lbs
3S3672-3R-G		3	14"	391 lbs
3S3672-4R-G		4	10"	482 lbs

**ALL CARTS  
HAVE AN  
OVERALL HEIGHT  
OF 57"**



## FOUR SHELF STOCK CART

SHELVES SLOPE 1" FROM FRONT TO BACK TO KEEP CARTONS IN PLACE DURING TRANSIT EXCEPT BOTTOM SHELF, WHICH IS LEVEL

- Standard color is gray, for optional colors, replace "-G" with the following suffixes: red (-R), yellow (-Y), blue (-B)
- 12 ga. steel shelves have a 2" down lip and are double welded to a sturdy 1" tubular frame
- Contents are contained by ½" steel round bar on back and ends
- Stock carts move effortlessly on 6" X 1½" phenolic casters (2 swivel\2 rigid) with 2,000 lbs. capacity

• CARTS HAVE AN OVERALL HEIGHT OF 62½"

MODEL NO.	SHELF SIZE	NO. OF SHELVES	SHELF CLEARANCE	WEIGHT
TS2448R-G	24" X 48"	4	14"	229 lbs
TS2472R-G	24" X 72"			335 lbs
TS3048R-G	30" X 48"			270 lbs
TS3060R-G	30" X 60"			339 lbs
TS3072R-G	30" X 72"			412 lbs
TS3672R-G	36" X 72"			464 lbs

CHOICE OF COLORS



TS3072R-B

## OPEN-MESH SECURITY TRUCKS

STORE PROTECT AND TRANSPORT VALUABLE CARGO

- Standard color for all components is gray, for optional colors, replace "-G" with the following suffixes: red (-R), yellow (-Y), blue (-B)
- Security trucks move effortlessly on 5" X 2" phenolic casters (2 swivel\2 rigid) with 2,400 lbs. capacity
- Top and bottom of all units are manufactured from thick 12 ga. steel
- Sides and ends of ¾" flattened expanded metal surrounded by a double welded 1½" X 1½" steel angle frame
- Contents are secured by a unique locking latch system - can be padlocked
- Select the optional 12 ga. middle shelf for additional storage (31½" clearance between top and bottom)
- Optional fork pockets permit the truck to be moved or lifted by forklift
- Optional middle shelf added during production not for field installation

• TRUCKS HAVE AN OVERALL HEIGHT OF 74"

MODEL NO.	WIDTH	LENGTH	WEIGHT
OST2460R-G	24"	60"	295 lbs
OST3048R-G	30"	48"	287 lbs
OST3072R-G	30"	72"	372 lbs
OST3672R-G	36"	72"	387 lbs

• OPTIONAL MIDDLE SHELF

MODEL NO.	WIDTH	LENGTH	WEIGHT
OST2460R-MS-G	24"	60"	49 lbs
OST3048R-MS-G	30"	48"	49 lbs
OST3072R-MS-G	30"	72"	80 lbs
OST3672R-MS-G	36"	72"	91 lbs

• OPTIONAL FORK POCKETS

MODEL NO.	WIDTH	LENGTH	WEIGHT
OST-FP	6"	3"	46 lbs

CHOICE OF COLORS



OST3048R-G

Shown with OST3048R-MS-G (optional middle shelf)  
Shown here without Optional Fork Pockets